

Bibliografia

« Quando rubi da un autore è plagio, quando rubi da tanti è ricerca. »

–Wilson Mizner.

- [1] F. Carrara, *Silicon bipolar power amplifiers for 2G and 3G wireless communications*, Tesi di dottorato A.A. 2001-02, relatore Chiar.mo Prof. G. Palmisano, Facoltà di Ingegneria, Università degli Studi di Catania.

- [2] F. Carrara, *Amplificatore di potenza in tecnologia bipolare per applicazioni wireless a 1.9 GHz*, Tesi di Laurea A.A. 1997-98, relatore Chiar.mo Prof. G. Palmisano, Facoltà di Ingegneria, Corso di Laurea in Ingegneria Elettronica, Università degli Studi di Catania.

- [3] F. Carrara, A. Scuderi, G. Totodonato, G. Palmisano, *A very high efficiency silicon bipolar transistor*, Electron Devices Meeting, 2001. IEDM Technical Digest International, Washington (DC, U.S.A.), 2-5 December 2001, pp. 40.1.1-40.1.4.

- [4] S. C. Cripps, *RF Power Amplifier for Wireless Communications*, Artech House, Boston-London, 1999.

- [5] N. Potheary, *Feedforward Linear Power Amplifiers*, Artech House, Boston-London, 1999.

-
- [6] F. H. Raab, P. Asbeck, S. Crips, P. B. Kenington, Z. B. Popović, N. Potheary, J. F. Sevic, N. O. Sokal, *Power amplifiers and transmitters for RF and microwave*, IEEE Transactions on Microwave Theory and Techniques, vol. 50, issue 3, March 2002, pp. 814-826.
- [7] F. H. Raab, *Class-F power amplifiers with maximal flat waveforms*, IEEE Transactions on Microwave Theory and Techniques, vol. 45, issue 11, November 1997, pp. 2007-2012.
- [8] F. H. Raab, *Class-F power amplifiers with reduced conduction angles*, IEEE Transactions on Broadcasting, vol. 44, issue 4, December 1998, pp. 455-459.
- [9] F. H. Raab, *Class-E, Class-C, and Class-F power amplifiers based upon a finite number of harmonics*, IEEE Transactions on Microwave Theory and Techniques, vol. 49, issue 8, August 2002, pp. 1462-1468.
- [10] N. O. Sokal, *Class E high-efficiency power amplifiers, from HF to microwave*, Microwave Symposium Digest, 1998 IEEE MTT-S International, vol. 2, Baltimore (Maryland, U.S.A.) 7-12 June 1998, pp. 1109-1112.
- [11] J. F. Sevic, *Statistical characterization of RF power amplifier efficiency for CDMA wireless communication systems*, Proceedings IEEE Wireless Communications Conference, Boulder (Colorado, U.S.A.) 11-13 August 1997, pp. 110-113.
- [12] G. Gonzalez, *Microwave transistor amplifiers analysis and design*, 2nd Edition, Prentice Hall, 1997.

-
- [13] G. Berretta, *Amplificatore di potenza in tecnologia bipolare per applicazioni UMTS*, Tesi di Laurea A.A. 1999-2000, relatore Chiar.mo Prof. G. Palmisano, correlatore Ing. A. Scuderi, Facoltà di Ingegneria, Corso di Laurea in Ingegneria Elettronica, Università degli Studi di Catania.
- [14] M. Maiore, *Amplificatore di potenza RF con controllo integrato*, Tesi di Laurea A.A. 1999-2000, relatore Chiar.mo Prof. G. Palmisano, correlatore Ing. A. Scuderi, Facoltà di Ingegneria, Corso di Laurea in Ingegneria Elettronica, Università degli Studi di Catania.
- [15] M. Platania, *Amplificatore di potenza per applicazioni Wlan @ 5 GHz*, Tesi di laurea A.A. 2001-2002, relatore Chiar.mo Prof. G. Palmisano, correlatore Ing. A. Scuderi, Facoltà di Ingegneria, Corso di Laurea in Ingegneria Elettronica, Università degli Studi di Catania.
- [16] M. Campo, *Amplificatori di potenza per applicazioni hiperlan/2*, Tesi di laurea A.A. 2001-2002, relatore Chiar.mo Prof. G. Palmisano, correlatore Ing. A. Scuderi, Facoltà di Ingegneria, Corso di Laurea in Ingegneria Elettronica, Università degli Studi di Catania.
- [17] E. Dahlman, P. Beming, J. Knutsson, F. Ovesjö, M. Persson, and C. Robol, *WCDMA - The radio interface for future mobile multimedia communications*, IEEE Transactions on Vehicular Technology, vol. 47, issue 4, November 1998, pp. 1105 ÷ 1117.
- [18] A. Fukasawa, T. Sato, Y. Takizawa, T. Kato, M. Kawabe, R. E. Fisher, *Wideband CDMA System for personal radio communications*, IEEE Communications Magazine, vol. 34, issue 10, October 1996, pp. 116-123.

-
- [19] E. Dahlman, B. Gudmundson, M. Nilsson, and J. Sköld, *UMTS/IMT-2000 based on Wideband CDMA*, IEEE Communications Magazine, vol. 36, issue 9, September 1998, pp. 70 ÷ 80.
- [20] ETSI TS 125 201 v5.0.0 (2002-03). *Universal Mobile Telecommunications System (UMTS); Physical layer – General description*. [Online]. Available: <http://www.etsi.org>.
- [21] ETSI TS 125 211 v5.0.0 (2002-03). *Universal Mobile Telecommunications System (UMTS); Physical channels and mapping of transport channels onto physical channels (FDD)*. [Online]. Available: <http://www.etsi.org>.
- [22] ETSI TS 125 212 v5.0.0 (2002-03). *Universal Mobile Telecommunications System (UMTS); Multiplexing and channel coding (FDD)*. [Online]. Available: <http://www.etsi.org>.
- [23] ETSI TS 125 213 v5.0.0 (2002-03). *Universal Mobile Telecommunications System (UMTS); Spreading and Modulation (FDD)*. [Online]. Available: <http://www.etsi.org>.
- [24] ETSI TS 125 214 v5.0.0 (2002-03). *Universal Mobile Telecommunications System (UMTS); Physical layer procedures (FDD)*. [Online]. Available: <http://www.etsi.org>.
- [25] ETSI TS 125 215 v5.0.0 (2002-03). *Universal Mobile Telecommunications System (UMTS); Physical layer; Measurements (FDD)*. [Online]. Available: <http://www.etsi.org>.

-
- [26] E. Ragonese, *Simulazione di induttori integrati in ambiente HP-ADS*, Rapporto tecnico RT RFADG 11/2000, Università degli Studi di Catania e STMicroelectronics s.r.l., Catania, settembre 2001.
- [27] N. B. Carvalho, J. C. Pedro, *Multi-tone intermodulation distortion performance of 3rd order microwave circuits*, Microwave Symposium Digest, 1999 IEEE MTT-S International, vol. 2, Anaheim (California, U.S.A.) 13-19 June 1999, pp. 763-766.
- [28] N. B. Carvalho, J. C. Pedro, *On the use of multitone techniques for assessing RF components intermodulation distortion*, IEEE Transactions on Microwave Theory and Techniques, vol. 47, issue 12, December 1999, pp. 2393-2402.
- [29] T. Rahkonen, *Analysis of analog circuits using Volterra series*, Electronics Laboratory, Department of Electrical and Infotech, University of Oulu, Finland.
- [30] C. B. Haskins, *Diode predistortion linearization for a power amplifier RFICs in digital radio*, Virginia Polytechnic Institute and State University, Blacksburg (Virginia, U.S.A.), 2000.
- [31] G. Nader, *Radio link performance of third generation (3G) technologies for wireless networks*, Virginia Polytechnic Institute and State University, Falls Church (Virginia, U.S.A.), 2002.
- [32] C. Tze Chiu, *2GHz W-CDMA radio transceiver*, Virginia Polytechnic Institute and State University, Blacksburg (Virginia, U.S.A.), 1998.

-
- [33] F. Alam, *Simulation of third generation CDMA systems*, Virginia Polytechnic Institute and State University, Blacksburg (Virginia, U.S.A.), 1999.
- [34] *Advanced Design System 2002, Linearization design guide*, Agilent Technologies, February 2002.
- [35] *Advanced Design System 2002, Amplifier design guide*, Agilent Technologies, February 2002.
- [36] C. Arnott, *Power amplifier gain and efficiency enhancement using an integrated ground sharing design technique*, Microwave Product Digest, February 2002.
- [37] H. Lilja, H. Mattila, *WCDMA power amplifier requirements and efficiency optimization criteria*, Microwave Symposium Digest, 1999 IEEE MTT-S International, vol. 4, Anaheim (California, U.S.A.) 13-19 June 1999, pp. 1843-1846.
- [38] H. Lilja, H. Mattila, *WCDMA uplink modulation scheme evolution and transmitter implementation*, IEEE Vehicular Technology Conference, 1999. VTC 1999 - Fall. IEEE VTS 50th, vol. 2, Amsterdam (the Netherlands) 19-22 September 1999, pp. 899-903.
- [39] Ping Yin, *A simplified approximation method for cascaded system adjacent and alternate channel power ratio*, Applied Microwave & Wireless, vol. 14, issue 5, May 2002, pp. 70-76.

-
- [40] Youngoo Yang, Bumman Kim, *A new linear amplifier using low-frequency second-order intermodulation component feedforwarding*, IEEE Microwave and Guided Wave Letters, vol. 9, issue 10, October 1999, pp. 419-421.
- [41] C. S. Aitchison, M. Mbabele, M. R. Moazzam, D. Budimir, F. Ali, *Improvement of third-order intermodulation product of RF microwave amplifiers by injection*, IEEE Transactions on Microwave Theory and Techniques, vol. 49, issue 6, June 2001, pp. 1148-1154.
- [42] K. Yamauchi, K. Mori, N. Nakayama, Y. Mitsui, T. Takagi, *A microwave miniaturized linearizer using a parallel diode with a bias feed resistance*, IEEE Transactions on Microwave Theory and Techniques, vol. 45, issue 12, December 1997, pp. 2431-2435.
- [43] M. R. Moazzam, C. S. Aitchison, *A low third order intermodulation amplifier with harmonic feedback circuitry*, Microwave Symposium Digest, 1996. IEEE MTT-S International, vol. 2, San Francisco (California, U.S.A.) 17-21 June 1996, pp. 827-830.
- [44] Youn Sub Noh, Chul Soon Park, *PCS/W-CDMA dual band MMIC power amplifier with a newly proposed linearizing bias circuit*, IEEE Journal of Solid State Circuits, vol. 37, issue 9, September 2002, pp. 1096-1099.
- [45] Dong Jing, Wing Shing Chan, Shi Man Li, Chung Wai Li, *New linearization method using interstage second harmonic enhancement*, IEEE Microwave and Guided Wave Letters, vol. 8, issue 11, November 1998, pp. 402-404.

- [46] H. Kawamura, K. Sakuno, T. Hasegawa, M. Hasegawa, H. Koh, H. Sato, *A miniature 44% efficiency GaAs HBT power amplifier MMIC for the W-CDMA application*, Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 2000. 22nd Annual, Seattle (Washington, U.S.A.) 5-8 November 2000, pp. 25-28.
- [47] T. Yoshimasu, M. Akagi, N. Tanba, S. Hara, *An HBT MMIC power amplifier with an integrated diode linearizer for low-voltage portable phone applications*, IEEE Journal of Solid-State Circuits, vol. 33, issue 9, September 1998, pp. 1290-1296.
- [48] G. Hau, T. B. Nishimura, N. Iwata, *A high efficient linearized wide-band CDMA handset power amplifier base on predistortion under various bias conditions*, IEEE Transactions on Microwave Theory and Techniques, vol. 49, issue 6, June 2001, pp. 1194-1201.
- [49] T. Iwai, K. Kobayshi, Y. Nakasha, T. Miyashita, S. Ohara, K. Joshin, *42% high-efficiency two-stage HBT power-amplifier MMIC for W-CDMA cellular phone systems*, IEEE Transactions on Microwave Theory and Techniques, vol. 48, issue 12, December 2000, pp. 2567-2572.
- [50] K. Laird, N. Wannett, S. Buljore, *A Peak-to-Average power reduction for third generation CDMA reverse link*, Vehicular Technology Conference, 1999 IEEE 49th, vol. 1, Houston (Texas, U.S.A.) 16-20 May 1999, pp. 551-555.
- [51] *3G wireless standards for cellular mobile services*, Simens, 2002. [Online]. Available: <http://www.siemens.com>.