

Fonti utilizzate

Libri:

- BERANEK L.L., 1986, *Acoustics*, AIP for Acoustic Society of America.
- CINGOLANIS., SPAGNOLO R. (a cura di), 2005, *Acustica musicale e architettonica*, Utet libreria.
- CIRILLO E., 1997, *Acustica Applicata*, McGraw-Hill.
- COX T.J., D'ANTONIO P., 2004, *Acoustic Absorbers and Diffusers*, Spon Press.
- EVEREST A., 1994, *Manuale di acustica*, terza edizione, Hoepli editore.
- EVEREST A., 1997, *Sound Studio Construction on a Budget*, McGraw-Hill.
- FROVA A., 1999, *Fisica nella musica*, Zanichelli.
- KUTTRUFF H., 2000, *Room acoustics*, quarta edizione, Spon Press.
- LAMANCUSA J.S., 2000, *Noise Control*, Penn State.
- SPAGNOLO R. (a cura di), 2001, *Manuale di Acustica Applicata*, Utet libreria.

Articoli:

Capitolo primo

1.2 Teoria Modale

- BÜCKLEIN R., 1981, *The audibility of frequency response irregularities*, J. Audio Eng. Soc. Vol. 29, marzo 1981, pp. 126-131.
- CLAUDY L.D., 2006, Principles of acoustics for broadcast applications, NAB National Association of Broadcasters, Washington DC (<http://www.acad.unibh.br/gfernandes/BSS/principlesofacoustics.pdf>).
- FRYER P.A., 1975, *IM distortion listening test*, J. Audio Eng. Soc., (abstract), Vol. 23, Giugno 1975, p. 402.
- OLIVE S.E., SCHUCK P.L., RYAN J.G., SALLY S.L., BONNEVILLE M.E., 1997, *The detection thresholds of resonances at low frequencies*, J. Audio Eng. Soc. Vol. 45, No. 3, marzo 1997, pp. 116-127.
- TOOLE F.E., OLIVE S.E., 1998, *The Modification of Timbre by Resonances: Perception and Measurement*, J. Audio Eng. Soc., vol. 36, marzo 1998, pp. 122-142.
- WALKER R., 1992, *Low-frequency content in music reproduction, part 1: Background and qualitative considerations*, BBC RD 1992/8 (<http://downloads.bbc.co.uk/rd/pubs/reports/1992-08.pdf>).
- WHITE G., 1991, *Small Room Acoustics De-Mythologized*, Mobile Audiocontrol technical paper n. 107 (http://www.mobileaudiocontrol.com/whatsnew_detail.asp?id=461).

1.3 Acustica geometrica

- BECH S., 1995, *Perception of reproduced sound: Audibility of individual reflections in a complete sound field II*, Journal of the Acoustical Society of America, vol. 97, pp. 3320, 1995.
- BEGAULD D., 1996, *Audible and inaudible early reflections: thresholds for auralization system design* AES 100th convention, copenhagen. (<http://human-factors.arc.nasa.gov/>).
- BEGAULD D., 2001, *Early reflection thresholds for virtual sound sources*, Proceedings of the 2001 International Workshop on Spatial Media, Aizu-Wakamatsu, Japan (<http://human-factors.arc.nasa.gov/>).
- BUCHHOLZ J.M., MOURJOPOULOS J., BLAUERT J., 2001, *Room Masking: Understanding and Modelling the Masking of Room Reflections*, AES 110th Convention (abstract), Amsterdam, May 2001.
- D'ANTONIO P., RPG, *Minimizing acoustic distortion in project studios*, RPG (<http://www.rpginc.com/>).

- LITOVSKY R.Y., COLBURN H.S., YOST W.A., GUZMAN S.J., 1999, *The Precedence Effect*, J. Acoust. Soc. Am., vol. 106. pp. 1633-1654.
- NIAOUNAKIS T.I., DAVIES W.J., 2002, *Perception of Reverberation Time in Small Listening Rooms*, J. Audio Eng. Soc. Vol. 50 No. 5, maggio 2002, pp. 343-350.
- NOXON A.M., 1990, *Sound fusion and the acoustic precedence effect*, presented at the 89th AES Convention 21-25 settembre 1990, preprint No. 2998 (<http://www.acousticsscience.com/articles/aessf-1.htm>).
- SERAPHIM H.P., 1958, *Acustica*, vol.8 (ref.).
- TOOLE F.E., OLIVE S.E., 1989, *the detection of reflections in typical rooms*, J. Audio Eng. Soc., vol. 37, luglio/agosto 1989, pp. 539-553.
- TOOLE F.E., 2002, *Loudspeakers and rooms for multichannel audio reproduction* - Harman industries, Infinity Speakers (http://www.infinityspeakers.com/homeaudio/technology/technology_whitepapers.aspx).
- TOOLE F.E., 2006, *Loudspeaker and rooms for sound reproduction – A scientific Review*, J. Audio Eng. Soc., vol. 54, No. 6, giugno 2006, pp. 451-475.

Capitolo secondo

2.1 Dimensioni ottimali di una stanza a forma di parallelepipedo

- BOLT R.H., 1946, *Note on the normal frequency statistics in rectangular rooms*, J. Acoust. Soc. Am. Vol. 18, pp.130-133.
- BONELLO O.J., 1981, *A new criterion for the distribution of normal room modes*, J. Audio Eng. Soc. Vol. 29, No. 9, settembre 1981, pp. 597-605.
- COX T.J., D'ANTONIO P., 2002, *Determining Optimum Room Dimensions for Critical Listening Environments: A New Methodology*, (<http://www.rpginc.com/news/library/roomsizer.pdf>).
- COX T.J., D'ANTONIO P., 2002, *Room dimensions for small listening rooms*, Acoustic Salford University (http://www.acoustics.salford.ac.uk/acoustics_world/).
- COX T.J., D'ANTONIO P., AVIS M.R., 2004, *Room Sizing and Optimization at Low Frequencies*, J. Audio Eng. Soc. Vol. 52 No. 6, giugno 2004, pp. 640-650.
- GILFORD C.L.S., 1979, *The acoustic design of talk studios and listening rooms*, J. Audio Eng. Soc., Vol.27, gennaio/febbraio 1979, pp. 17-31.
- LOUDEN M.M., 1971, *Dimension ratios of rectangular rooms with good distribution of eigentones*, *Acustica*, Vol. 24, pp. 101-104.
- WALKER R., 1992, *Low-frequency content in music reproduction_part2: Calculation Methods and experimental results*, BBC Research Department Report , (<http://downloads.bbc.co.uk/1992-9.pdf>).
- WALKER R., 1993, *Determining Optimum Dimensions ratios for studios, control rooms and listening rooms*, BBC Research Department Report - BBC RD 1993/8 (<http://downloads.bbc.co.uk/1993-8.pdf>).
- EBU Technical Recommendations R22-1998. *Listening conditions for the assessment of sound programme material*, (<http://www.ebu.ch/>).
- IEC 60268-13, BS6840 13, 1988, *Sound system equipment – part 13 listening tests on loudspeakers*, (<http://www.iec.ch/> e <http://www.bsi-global.com>).

2.2 L'isolamento acustico

- FAUSTI P., 2003, *Acustica in Edilizia*, (<http://www.rockwool.it/sw51060.asp>).
- FRINGUELLINO M., 2006, *La frequenza di coincidenza*, suono&studio, ottobre-novembre 2006, (http://www.broadcast.it/news/archivio/2006_05/suonostudio.htm).

- HONGISTO V., KERÄNEN J., LINDGREN M., 2000, *Sound insulation of doors, part 2: comparison between measurement results and predictions*, Journal of Sound and Vibration, Volume 230, Number 1, February 2000, pp. 149-170(22) (Abstract).
- QUIRT J.D., 1985, *Sound Transmission Through Building Components, contenuto in Building Science Insight '85: Noise Control in Buildings*, National Research Council of Canada 1987 (<http://irc.nrc-cnrc.gc.ca/>).
- ROSE K.A., TOCCI G.C., 1990, *BBC Guide to Acoustic Practice - Second Edition*, BBC Engineering febbraio 1990, (<http://www.bbc.co.uk/rd/pubs/archive/pdffiles/architectural-acoustics/>).
- ASTM E336-05, 2005, *Standard Test Method for Measurement of Airborne Sound Insulation in Buildings*, American Society for Testing Materials (<http://www.astm.org/>).
- INDEX, 2005, *guida all'isolamento acustico dei fabbricati: soluzioni per l'isolamento acustico del pavimento, della parete e del soffitto nelle costruzioni nuove ed esistenti*, Index Construction Systems and Products. (www.index-spa.com/IndexSPACOM/capitolati/guide/Guida_Isol_Ac_2007.pdf)

2.3 Materiali e strutture per l'assorbimento acustico

- BURD A.N., 1971, *Low-frequency sound absorbers*, British Broadcasting Corporation, BBC RD 1971/15 (<http://downloads.bbc.co.uk/rd/pubs/reports/1971-15.pdf>).
- COX T.J., D'ANTONIO P., 2005, *Technical Bulletin on the Design of Microperforated Transparent Absorbers*, RPG Diffusor Systems, (<http://www.rpginc.com/whitepapers/Clearsorber-White-Paper.pdf>).
- FLETCHER J.A., 1992, *The design of modular sound absorber for very low frequency*, British Broadcasting Corporation, BBC RD 1992/10 (<http://downloads.bbc.co.uk/rd/pubs/reports/1992-10.pdf>).
- FUCHS H.V., 2001, *Alternative Fibreless Absorbers – New Tools and Materials for Noise Control and Acoustic Comfort*, Acta Acustica Vol. 87 (2001), (<https://www.euracoustics.org/Products/ActaAcustica/>).
- LIU K., TIAN J., Li X., JIAO F., 2005, *One of ideal absorbing materials in architectural acoustics: micro-perforated panel absorbers*, Chinese Academy of Sciences (<http://www.hydromech.kiev.ua/>).
- MATTEVIL., 2005, *Assorbimento Acustico: metodi di miglioramento delle prestazioni acustiche degli edifici*, (<http://www.inquinamentoacustico.it>).
- SAKAGAMI K., MORIMOTO M., YAIRI M., 2005, *A note on the effect of vibration of a microperforated panel on its sound absorption characteristics*, Ac. Science & Technology (<http://www.jstage.jst.go.jp/>).
- SPRING N.F., RANDALL K.E., 1970, *Permissible Bass Rise in Talks Studios*, British Broadcasting Corporation, BBC Eng., BBC RD 1970/10 (<http://downloads.bbc.co.uk/rd/pubs/reports/1970-10.pdf>).
- TURNER A., 1998, *ASC Tube Traps: creating a listening studio*, Absolute Sound, Issue 112, 1998.
- WALKER R., 1993, *The design and application of modular, acoustic diffusing elements*, BBC Research Department Report - BBC RD 1993/8 (<http://downloads.bbc.co.uk/1990-15.pdf>).

2.4 La diffusione del suono e i diffusori acustici

- COX T.J., D'ANTONIO P., 1998, *Two Decades of Sound Diffusor Design and Development Part 1: Applications and Design*, J. Audio Eng. Soc., Vol .46 No. 11, novembre 1998, pp. 955-973.
- COX T.J., D'ANTONIO P., 2005, *Technical Bulletin on the Application of Diffusion in Critical Listening Rooms*, RPG Inc. (<http://www.acousticalsolutions.com/education/pdfs>).
- COX T.J., 2005, *Acoustic diffusers: the good, the bad and the ugly*, RPG Inc, Proceedings of the Institute of Acoustic (http://www.rpginc.com/news/library/tyndall_paper.pdf).
- FARINA A., 1999, *Dispense di fisica applicata*, (<http://pcfarina.eng.unipr.it/>).
- SCHROEDER M.R., 1975, *Diffuse Sound Reflection by Maximum Length Sequences*, JASA J. Acoust. Soc. Am. 57, No. 1, 149-150 (January 1975).

AES-4id-2001, 2001, *AES information document for room acoustics and sound reinforcement systems - Characterization and measurement of surface scattering uniformity*, J. Audio Eng. Soc. Vol .49 No. 3, marzo 2001, pp. 149-165.

Draft ISO/DIS 17497-1, 2004, *Sound scattering properties of surfaces - Part 1: measurement of the random incidence scattering coefficient in a reverberation room*, ISO, Geneva, Switzerland.

2.5 Il posizionamento delle sorgenti e dell'ascoltatore

BECH S., 1994, *Perception of Timbre of Reproduced Sound in Small Rooms: Influence of Room and Loudspeaker Position*, J. Audio Eng. Soc. Vol. 42, No. 12, dicembre 1994, pp. 999-1007.

OLIVE S.E., SCHUCK P.L., RYAN J.G., SALLY S.L., BONNEVILLE M.E., 1994, *The Effects of Loudspeaker Placement on Listener Preference Ratings*, J. Audio Eng. Soc. Vol. 42, No. 9, settembre 1994, pp. 651-667.

WELTI T., 2002, *How many subwoofers are enough*, Audio Eng. Soc. Convention Paper 5602, AES 112TH Convention, Germany, 2002 MAY 10–13 (<http://www.music.mcgill.ca/~wlm/papers/others/Welti.pdf>).

AES 20-1996, *AES recommended practice for professional audio - Subjective evaluation of loudspeakers*.

2.6 Il controllo attivo delle basse frequenze – Digital Room Correction

AVIS M.R., 2002, *Q-factor modification for low-frequency room modes*, Proc. Audio Eng. Soc., 21st Conference, St. Petersburg.

COX T.J., AVIS M.R., L. XIAO, 2002, *The Potential for Room Acoustic Active Diffusers*, Acoustics and Electronic Engineering University of Salford, (<http://www.acoustics.salford.ac.uk/>).

ELLIOTT S.J., NELSON P.A., 1993, *Active Noise Control - Low frequency techniques for suppressing acoustic noise leap forward with signal processing*, IEEE Signal Processing Magazine Ottobre 1993.

ELLIOTT S.J., BHATIA L.P., DEGHAN F.S., FU A.H., STEWART M.S, WILSON D.W., 1994, *Practical Implementation of Low-Frequency Equalization Using Adaptive Digital Filters*, J. Audio Eng. Soc. Vol. 42, No. 12, dicembre 1994, pp. 988-996.

FELDBAUER C., PERNKOPF F., RANK E., 2007, *Adaptive Filters: Tutorial for the Course Computational Intelligence*, Signal Processing & Speech Communication Laboratory, (<http://www.igi.tugraz.at/lehre/CI>).

FIELDER L.D., 2003, *Analysis of Traditional and Reverberation-Reducing Methods of Room Equalization*, J. Audio Eng. Soc. Vol. 51, No. 1/2, gennaio/febbraio 2003, pp. 3-25.

KUO S.M., MORGAN D.R., 2000, *Review of DSP Algorithms for Active Noise Control*, Proceedings of the 2000 IEEE International Conference on Control Applications, Anchorage, Alaska, USA sept. 25-27, 2000.

MÄKIVIRTA A, ANTSALO P, KARJALAINEN M., VÄLIMÄKI V., 2003, *Modal Equalization of Loudspeaker-Room Responses at Low Frequencies*, J. Audio Eng. Soc. Vol. 51, No. 5, maggio 2003, pp. 324-342.

MOURJOPOULOS J., PARASKEVAS M.A., 1991, *Pole and Zero modelling of room transfer functions*, Journal of Sound and Vibration (1991) 146(2), 281-302.

MOURJOPOULOS J.N., 1994, *Digital Equalization of Room Acoustics*, J. Audio Eng. Soc. Vol. 42, No. 11, novembre 1994, pp. 884-893.

NEELY S.T., ALLEN J.T., 1979, *Invertibility of a room impulse response*, J. Acoust. Soc. Am., Vol. 66, No.1, July 1979.

RUBINSON K., 2001, *Tact Audio RCS 2.0 digital equalizer/preamplifier - A review*, Stereophile, Settembre 2001, <http://www.stereophile.com/roomtreatments/437/>

AES staff writer, 2004, *DSP in Loudspeaker*, J. Audio Eng. Soc. Vol. 52, No. 4, aprile 2004, pp. 434-439.