

BIBLIOGRAFIA

Abbas AK, Lichtman AH, Pober JS.

Immunologia cellulare e molecolare.

Piccin Editore, 1994.

Adriaansen HJ, Osman C, van Dongen JJM, Wijdenes-De Bresser JHFM, Kapettijn-van Tilborg CMJM, Hooijkaas H.

Immunological marker analysis of mitogen-induced proliferating lymphocytes using BrdU incorporation or screening of metaphases.

Scandinavian Journal of Immunology, vol. 32, pp. 687-694, 1990.

Ahlers JD, Dunlop N, Alling DW, Nara PL, Berzofsky JA.

Cytokine-in-adjuvant steering of the immune response phenotype to HIV-1 vaccine constructs.

The Journal of Immunology, vol. 158, pp. 3947-3958, 1997.

Ahlers JD, Takeshita T, Pendleton CD, Berzofsky JA.

Enhanced immunogenicity of HIV-1 vaccine construct by modification of the native peptide sequence.

Proc. Natl. Acad. Sci. USA, vol. 94, pp. 10856-10861, settembre 1997.

Alberti A, Chemello L, Benvegnù L.

Natural history of hepatitis C.

The Journal of Hepatology, vol. 31 suppl. 1, pp. 17-24, 1999.

Alric L, Fort M, Izopet J, Vinel JP, Duffaut M, Abbal M.

Association between genes of the Major Histocompatibility Complex class II and the outcome of hepatitis C virus infection.

The Journal of Infectious Diseases, vol. 179, pp. 1309-1310, 1999.

Ballardini G, Groff P, Pontisso P, Giostra F, Francesconi R, Lenzi M, Zauli D, Alberti A, Bianchi FB.

Hepatitis C Virus (HCV) Genotype, Tissue HCV Antigens, Hepatocellular Expression of HLA-A, -B, -C, and Intercellular Adhesion-1 Molecules: Clues to Pathogenesis of Hepatocellular Damage and Response to Interferon Treatment in Patients with Chronic Hepatitis C.

The Journal of Clinical Investigation, vol. 95 (5), pp. 2067-2075, Maggio 1995.

Berzofsky JA.

Structural basis of antigen recognition by T lymphocytes; implications for vaccines.

The Journal of Clinical Investigation, vol. 82, pp. 1811-1817, dicembre 1988.

Berzofsky JA, Pendelton CD, Clerici M, Ahlers J, Lucey DR, Putney SD, Shearer GM.

Construction of peptides encompassing multideterminant clusters of Human Immunodeficiency Virus envelope to induce in vitro T cell responses in mice and humans of multiple MHC types.

The Journal of Clinical Investigation, vol. 88, pp. 876-884, settembre 1991.

Berzofsky JA, Ahlers JD, Derby MA, Pendleton CD, Arichi T, Belyakov IM.

Approaches to improve engineered vaccines for human immunodeficiency virus and other viruses that cause chronic infections.

Immunological Reviews, vol. 170, pp. 151-172, 1999.

Botarelli P, Brunetto MR, Minutello MA, Calvo P, Unutmaz D, Weiner AJ, Choo QL, Shuster JR, Kuo G, Bonino F, Houghton M, Abrignani S.

T-lymphocyte response to hepatitis C virus in different clinical courses of infection.

Gastroenterology, vol. 104 (2), pp. 580-587, febbraio 1993.

Bronowicki JP, Vetter D, Uhl G, Hudziak H, Uhrmacher A, Vetter JM, Doffoel M.
Lymphocyte reactivity to hepatitis C virus (HCV) antigens shows evidence for exposure to HCV in HCV-seronegative spouses of HCV-infected patients.
The Journal of Infectious Diseases, vol. 176, pp. 518-522, 1997.

Buus S.

Description and prediction of peptide-MHC binding: the "human MHC project".
Current Opinion in Immunology, vol. 11, pp. 209-213, 1999.

Carayon P, Bord A.

Identification of DNA-replicating lymphocytes subsets using a new method to label the bromo-deoxyuridine incorporated into the DNA.
Journal of Immunological Methods, vol. 147, pp. 225-230, 1992.

Casino C, McAllister J, Davidson F, Power J, Lawlor E, Yap PL, Simmonds P, Smith DB.

Variation of hepatitis C virus following serial transmission: multiple mechanisms of diversification of the hypervariable region and evidence for convergent genome evolution.
The Journal of General Virology, vol. 80, pp. 717-725, 1999.

Chabernaud ML, Lagorce JF, Ratinaud MH, Buxeraud J, Raby C.

Methimazole inhibits peripheral lymphocyte proliferation by inducing S-quiescent phase arrest.
International Journal of Immunopharmacology, vol. 18 (8/9), pp. 499-504, 1996.

Cerny A, McHutchison J, Pasquinelli C, Brown ME, Brothers MA, Grabscheid B, Fowler P, Houghton M, Chisari FV.

Cytotoxic T Lymphocyte Response to Hepatitis C Virus-Derived Peptides Containing the HLA A2.1 Binding Motif.
The Journal of Clinical Investigation, vol. 95(2), pp. 521-530, febbraio 1995.

Choo QL, Richman KH, Han JH, Berger K, Lee C, Dong C, Gallegos C, Coit D, Medina-Selby A, Barr PJ, Weiner AJ, Bradley DW, Kuo G, Houghton M.

Genetic organization and diversity of the hepatitis C virus.

Proc. Natl. Acad. Sci. USA, vol. 88, pp. 2451-2455, March 1991.

Clerici M, Lucey DR, Zajac RA, Boswell RN, Gebel HM, Takahashi H, Berzofsky JA, Shearer GM.

Detection of cytotoxic T lymphocytes specific for synthetic peptides of gp160 in HIV-seropositive individuals.

The Journal of Immunology, vol. 146, pp. 2214-2219, 1991.

Clerici M, Sarin A, Berzofsky JA, Landay AL, Kessler HA, Hashemi F, Hendrix CW, Blatt SP, Rusnak J, Dolan MJ, Coffman RL, Henkart P, Shearer GM.

Antigen-stimulated apoptotic T-cell death in HIV infection is selective for CD4+ T cell, modulated by cytokines and effected by lymphotoxin.

AIDS, vol 10, pp. 603-611, 1996.

Cohen J.

The Scientific Challenge of Hepatitis C.

Science, vol. 285, pp. 26-30, 2 Jul. 1999.

Diepolder HM, Scholz S, Pape GR.

Influence of HLA alleles on outcome of hepatitis C virus infection.

The Lancet, vol. 354, pp. 2094-2095, dicembre 1999.

Dolbeare F, Gratzner H, Pallavicini MG, Gray JW.

Flow cytometric measurement of total DNA content and incorporated bromodeoxyuridine.

Proc. Natl. Acad. Sci. USA, vol. 80, pp. 5573-5577, settembre 1983.

Dolbear F, Beisker W, Pallavicini MG, Vanderlaan M, Gray JW.

Cytochemistry for bromodeoxyuridine/DNA analysis: stoichiometry and sensitivity.
Cytometry, vol. 6, pp. 521-530, 1985.

Donaldson PT.

The interrelationship between hepatitis C virus and HLA.
European Journal of Clinical Investigation, vol. 29, pp. 280-283, 1999.

Duverlie G, Khorsi H, Castelain S, Jaillon O, Izopet J, Lunel F, Eb F, Penin F, Wychowski C.

Sequence analysis of the NS5A protein of European hepatitis C virus 1b isolates and relation to interferon sensitivity.
The Journal of General Virology, vol. 79, pp. 1373-1381, 1998.

Eckels DD, Zhou H, Bian TH, Wang H.

Identification of antigenic escape variants in an immunodominant epitope of hepatitis C virus.
International Immunology, vol. 11 (4), pp. 577-583, 1999.

Farci P, Alter HJ, Govindarajan S, Wong DC, Engle R, Lesniewski RR, Mushahwar IK, Desai SM, Miller RH, Ogata N, Purcell RH.

Lack of protective immunity against reinfection with hepatitis C virus.
Science, vol. 258, pp. 135-140, ottobre 1992.

Farci P, Shimoda A, Coiana A, Diaz G, Peddis G, Melpolder JC, Strazzera A, Chien DY, Munoz SJ, Balestrieri A, Purcell RH, Alter HJ.

The Outcome of Acute Hepatitis C Predicted by the Evolution of the Viral Quasispecies.
Science, vol. 288, pp. 339-344, 14 Apr. 2000.

Ferrari C, Valli A, Galati L, Penna A, Scaccaglia P, Giuberti T, Schianchi C, Missale G, Marin MG, Fiaccadori F.

T-cell response to structural and nonstructural hepatitis C virus antigens in persistent and self-limited hepatitis C virus infection.

Hepatology, vol. 19 (2), pp. 286-295, 1994.

Filice G.

Malattie infettive.

McGraw-Hill, 1998.

Gjerston DW, Terasaki PI.

HLA 1998.

American Society for Histocompatibility and Immunogenetics, 1998.

Hemmer J.

Rapid in vitro bromodeoxyuridine labeling method for monitoring of therapy response in solid human tumors.

Cytometry, vol. 11, pp. 603-609, 1990.

Hisada M, O'Brien TR, Rosenberg PS, Goedert JJ.

Virus load and risk of heterosexual transmission of human immunodeficiency virus and hepatitis C virus by men with hemophilia.

The Journal of Infectious Diseases, vol. 181, pp. 1475-1478, 2000.

Horn D, Davidson RL.

Inhibition of biological effects of bromodeoxyuridine by deoxycytidine: correlation with decreased incorporation of bromodeoxyuridine into DNA.

Somatic Cell Genetics, vol. 2 (5), pp. 469-481, settembre 1976.

Ibe M, Sakaguchi T, Tanaka K, Saito S, Yokota S, Tanaka T, Shimotohno K, Chujoh Y, Shiratori Y, Omata M, Miwa K, Takiguchi M.

Identification and characterization of a cytotoxic T cell epitope of hepatitis C virus presented by HLA-B*3501 in acute hepatitis.

The Journal of General Virology, vol. 79, pp. 1735-1744, 1998.

Janeway CA Jr, Travers P.

Immunobiology.

Churchill-Livingstone, Garland, 1996.

Jensen PE.

Mechanisms of Antigen Presentation.

Clin. Chem. Lab. Med., vol. 37(3), pp. 179-186, 1999.

Kallinowski B, Scherer S, Mehrabi A, Theilmann L, Stremmel W.

Clinical impact of HLA-DRB1 genotypes in chronic hepatitis C virus infection.

Transplantation Proceedings, vol. 31, pp. 3346-3349, 1999.

Kamata T, Yonemura Y, Sugiyama K, Ooyama S, Kosaka T, Yamaguchi A, Miwa K, Miyazaki I.

Proliferative activity of early gastric cancer measured by in vitro and in vivo bromodeoxyuridine labeling.

Cancer, vol. 64, pp. 1665-1668, 1989.

Koziel MJ, Dudley D, Wong JT, Dienstag J, Houghton M, Ralston R, Walker BD.

Intrahepatic cytotoxic T lymphocytes specific for hepatitis C virus in persons with chronic hepatitis.

The Journal of Immunology, vol. 149 (10), pp. 3339-3344, novembre 1992.

Koziel MJ, Dudley D, Afdhal N, Choo QL, Houghton M, Ralston R, Walker BD.
Hepatitis C Virus (HCV)-Specific Cytotoxic T Lymphocytes Recognize Epitopes in
the Core and Envelope Proteins of HCV.
The Journal of Virology, vol. 67, pp. 7522-7532, dicembre 1993.

Koziel MJ, Dudley D, Afdhal N, Grakoui A, Rice CM, Choo QL, Houghton M,
Walker BD.
HLA Class I-restricted Cytotoxic T Lymphocytes Specific for Hepatitis C Virus:
Identification of Multiple Epitopes and Characterization of Patterns of Cytokine
Release.
The Journal of Clinical Investigation, vol. 96(5), pp. 2311-2321, novembre 1995.

Koziel MJ.
Immunology of viral hepatitis.
American Journal of Medicine, vol. 100 (1), pp. 98-109, gennaio 1996.

Koziel MJ, Wong DKH, Dudley D, Houghton M, Walker BD.
Hepatitis C Virus-Specific Cytolytic T Lymphocyte and T Helper Cell Responses in
Seronegative Persons.
The Journal of Infectious Diseases, vol. 176, pp. 859-866, 1997.

Laskus T, Radkowski M, Piasek A, Nowicki M, Horban A, Cianciara J, Rakela J.
Hepatitis C virus in lymphoid cells of patients coinfecting with human
immunodeficiency virus type 1: evidence of active replication in
monocytes/macrophages and lymphocytes.
The Journal of Infectious Diseases, vol. 181, pp. 442-448, 2000.

Lechmann M, Ihlenfeldt HG, Braunschweiger I, Giers G, Jung G, Matz B, Kaiser R, Sauerbruch T, Spengler U.

T- and B-Cell Responses to Different Hepatitis C Virus Antigens in Patients With Chronic Hepatitis C Infection and in Healthy Anti-Hepatitis C Virus-positive Blood Donors Without Viremia.

Hepatology, vol. 24, pp. 790-795, 1996.

Lohmann V, Körner F, Koch JO, Herian U, Theilmann L, Bartenschlager R.

Replication of Subgenomic Hepatitis C Virus RNAs in a Hepatoma Cell Line.

Science, vol. 285, pp. 110-112, 2 Jul. 1999.

Lunel F.

Hepatitis C virus and autoimmunity: fortuitous association or reality?.

Gastroenterology, vol. 107, pp. 1550-1555, novembre 1994.

Mangia A, Gentile R, Cascavilla I, Margaglione M, Villani MR, Stella F, Modola G, Agostiano V, Gaudiano C, Andriulli A.

HLA class II favors clearance of HCV infection and progression of the chronic liver damage.

The Journal of Hepatology, vol. 30, pp. 984-989, 1999.

Martin P.

Hepatitis C Genotypes: The Key to Pathogenicity?.

Annals of Internal Medicine, vol. 122 (3), pp. 227-228, 1 Feb. 1995.

Mehta BA, Maino VC.

Simultaneous detection of DNA synthesis and cytokine production in staphylococcal enterotoxin B activated CD4⁺ T lymphocytes by flow cytometry.

The Journal of Immunological Methods, vol. 208 (1), pp. 49-59, ottobre 1997.

Menne S, Maschke J, Tolle T, Kreuzfelder E, Grosse-Wilde H, Roggendorf M.

Determination of peripheral blood mononuclear cell responses to mitogens and woodchuck hepatitis virus core antigen in woodchucks by 5-bromo-2'-deoxyuridine or 2[³H]adenine incorporation.

Archives of Virology, vol. 142, pp. 511-521, 1997.

Meuth M, Green H.

Induction of a deoxycytidineless state in cultured mammalian cells by bromodeoxyuridine.

Cell, vol. 2, pp. 109-112, giugno 1974.

Meyer JS, Nauert J, Koehm S, Hughes J.

Cell kinetics of human tumors by in vitro bromodeoxyuridine labeling.

The Journal of Histochemistry and Cytochemistry, vol. 37 (9), pp. 1449-1454, 1989.

Nagy EV, Morris JC, Burch HB, Bhatia S, Salata K, Burman KD.

Thyrotropin receptor T cell epitopes in autoimmune thyroid disease.

Clinical Immunology and Immunopathology, vol. 75 (2), pp. 117-124, 1995.

Palma V, Tudón H, Buentello L, Nava S, Ostrosky P, Salamanca F.

Methods for the analysis of cellular kinetics in PHA-stimulated blood lymphocytes using BrdU incorporation. A comparative study.

Mutation Research, vol. 286, pp. 267-273, 1993.

Pinilla C, Martin R, Gran B, Appel JR, Boggiano C, Wilson DB, Houghten RA.

Exploring immunological specificity using synthetic peptide combinatorial libraries.

Current Opinion in Immunology, vol. 11, pp. 193-202, 1999.

Roitt I, Brostoff J, Male D.

Immunologia.

Zanichelli Editore, 1998.

Romagnani S, Emmi L, Almerigogna F.

Malattie del sistema immunitario.

McGraw-Hill, 1995.

Rötzschke O, Falk K.

Naturally-occurring peptide antigens derived from MHC class-I-restricted processing pathway.

Immunology Today, vol. 12, n° 12, pp. 447-455, 1991.

Rußmann E, Sieber K, Doppler C, Hinzpeter M.

Measurement of DNA synthesis and cell proliferation with the 5-bromo-2'-deoxyuridine labelling and detection kit III.

Collection of Boehringer Mannheim Biochemicals, vol. 4, pp. 1-4, 1993.

Rudensky AY, Preston-Hurlburt P, Hong SC, Barlow A, Janeway CA Jr.

Sequence analysis of peptides bound to MHC class II molecules.

Nature, vol. 353, pp. 622-627, 17 ottobre 1991.

Sarobe P, Pendelton CD, Akatsuka T, Lau D, Engelhard VH, Feinstone SM, Berzofsky JA.

Enhanced in vitro potency and in vivo immunogenicity of a CTL epitope from Hepatitis C Virus core protein following aminoacid replacement at secondary HLA-A2.1 binding position.

The Journal of Clinical Investigation, vol. 102, numero 6, pp. 1239-1248, settembre 1998.

Scognamiglio P, Accapezzato D, Casciaro MA, Cacciani A, Artini M, Bruno G, Chircu ML, Sidney J, Southwood S, Abrignani S, Sette A, Barnaba V.

Presence of Effector CD8⁺ T Cells in Hepatitis C Virus-Exposed Healthy Seronegative Donors.

The Journal of Immunology, vol. 162, pp. 6681-6689, 1999.

Shirai M, Chen M, Arichi T, Masaki T, Nishioka M, Newman M, Nakazawa T, Feinstone SM, Berzofsky JA.

Use of Intrinsic and Extrinsic Helper Epitopes for In Vivo Induction of Anti-Hepatitis C Virus Cytotoxic T Lymphocytes (CTL) with CTL Epitope Peptide Vaccines.

The Journal of Infectious Diseases, vol. 173, pp. 24-31, 1996.

Shirai M, Arichi T, Chen M, Nishioka M, Ikeda K, Takahashi H, Enomoto N, Saito T, Major ME, Nakazawa T, Akatsuka T, Feinstone SM, Berzofsky JA.

T cell recognition of hypervariable region-1 from Hepatitis C Virus envelope protein with multiple class II MHC molecules in mice and humans: preferential help for induction of antibodies to the hypervariable region.

The Journal of Immunology, vol. 162, pp. 568-576, 1999.

Shutte B, Reynders MMJ, van Assche CLMVJ, Hupperets PSGJ, Bosman FT, Blijham GH.

An improved method for the immunocytochemical detection of bromodeoxyuridine labeled nuclei using flow cytometry.

Cytometry, vol. 8, pp. 372-376, 1987.

Simmonds P.

Variability of Hepatitis C virus.

Hepatology, vol. 21, n° 2, pp. 570-581, 1995.

Soni P, Dusheiko GM, Harrison TJ, Dhillon AP.

Genetic diversity of hepatitis C virus: implications for pathogenesis, treatment and prevention.

The Lancet, vol. 345 (8949), pp. 562-566, 4 Mar. 1995.

Stites, Stobo, Wells.

Basic and Clinical Immunology.

Appleton & Lange, 1987.

Sulkowski MS, Mast EE, Seeff LB, Thomas DL.

Hepatitis C virus infection as an opportunistic disease in persons infected with human immunodeficiency virus.

Clinical Infectious Diseases, vol. 30, pp. S77-S84, 2000.

Tabatabai NM, Bian TH, Rice CM, Yoshizawa K, Gill J, Eckels DD.

Functionally Distinct T-Cell Epitopes within the Hepatitis C Virus Non-Structural 3 Protein.

Human Immunology, vol. 60, pp. 105-115, 1999.

Takaki A, Wiese M, Maertens G, Depla E, Seifert U, Liebetrau A, Miller JL, Manns MP, Rehermann B.

Cellular immune responses persist and humoral responses decrease two decades after recovery from a single-source outbreak of hepatitis C.

Nature Medicine, vol. 6 (5), pp. 578-582, maggio 2000.

Takamizawa A, Mori C, Fuke I, Manabe S, Murakami S, Fujita J, Onishi E, Andoh T, Yoshida I, Okayama H.

Structure and Organization of the Hepatitis C Virus Genome Isolated from Human Carriers.

The Journal of Virology, vol. 65 (3), pp. 1105-1113, March 1991.

Takeshita T, Takahashi H, Kozlowski S, Ahlers JD, Pendleton CD, Moore RL, Nakagawa Y, Yolomuro K, Fox BS, Margulies DH, Berzofsky JA.

Molecular Analysis of the Same HIV Peptide Functionally Binding to Both a Class I and a Class II MHC Molecule.

The Journal of Immunology, vol. 154, pp. 1973-1986, 1995.

Taylor DR, Shi ST, Romano PR, Barber GN, Lai MMC.

Inhibition of the Interferon-Inducible Protein Kinase PKR by HCV E2 Protein.
Science, vol. 285, pp. 107-109, 2 Jul. 1999.

Terry NHA, White RA, Meistrich ML, Calkins DP.

Evaluation of flow cytometric methods for determining population potential doubling times using cultured cells.
Cytometry, vol. 12, pp. 234-241, 1991.

Thursz M, Yallop R, Goldin R, Trepo C, Thomas HC.

Influence of MHC class II genotype on outcome of infection with hepatitis C virus.
The Lancet, vol. 354, pp. 2119-2124, dicembre 1999.

Toba K, Winton EF, Bray RA.

Improved staining method for the simultaneous flow cytofluorimetric analysis of DNA content, S-phase fraction, and surface phenotype using single laser instrumentation.
Cytometry, vol. 13, pp. 60-67, 1992.

van der Poel CL, Cuypers HT, Reesink HW.

Hepatitis C virus six years on.
The Lancet, vol. 344, pp. 1475-1479, Nov. 1994.

Vejbaesya S, Songsivilai S, Tanwandee T, Rachaibun S, Chantangpol R, Dharakul T.

HLA association with hepatitis C virus infection.
Human Immunology, vol. 61, pp. 348-353, 2000.

Wang H, Eckels DD.

Mutations in Immunodominant T Cell Epitopes Derived from the Nonstructural 3 Protein of Hepatitis C Virus Have the Potential for Generating Escape Variants That May Have Important Consequences for T Cell Recognition.

The Journal of Immunology, ???, pp. 4177-4183, 1999.

Wersto RP, Liblit RA, Deitch D, Koss LG.

Variability in DNA measurement in multiple tumor samples of human colonic carcinoma.

Cancer, vol. 67, pp. 106-115, 1991.

Woitas RP, Lechmann M, Jung G, Kaiser R, Sauerbruch T, Spengler U.

CD30 Induction and Cytokine Profiles in Hepatitis C Virus Core-Specific Peripheral Blood T Lymphocytes.

The Journal of Immunology, vol. 159, pp. 1012-1018, 1997.

Woitas RP, Rockstroh JK, Beier I, Jung G, Kochan B, Matz B, Brackmann HH, Sauerbruch T, Spengler U.

Antigen-specific cytokine response to hepatitis C virus core epitopes in HIV/hepatitis C virus-coinfected patients.

AIDS, vol. 13, pp. 1313-1322, 1999.

Zeuzem S, Lee JH, Roth WK.

Mutations in the Nonstructural 5A Gene of European Hepatitis C Virus Isolates and Response to Interferon Alfa.

Hepatology, vol. 25 (3), pp. 740-744, March 1997.

Zylberberg H, Pol S.

Reciprocal interactions between human immunodeficiency virus and hepatitis C virus infections.

Clinical Infectious Diseases, vol. 23, pp. 1117-1125, 1996.