

BIBLIOGRAFIA

- Agostino A, Valletta L, Chinnery PF et al. Mutations of ANT1, Twinkle, and POLG1 in sporadic progressive external ophthalmoplegia (PEO). *Neurology* 2003; Apr 22;60(8):1354-1356.
- Anderson S, Bankier AT, Barrell BG et al. Sequence and organization of the human mitochondrial genome. *Nature* 1981; Apr 9;290(5806):457-65.
- Andrews RM, Kubacka I, Chinnery PF, Lightowlers RN, Turnbull DM, Howell N. Reanalysis and revision of the Cambridge reference sequence for human mitochondrial DNA. *Nat Genet* 1999; 23:147.
- Aronica E, van Vliet EA, Hendriksen E, Troost D, Lopes da Silva FH, Gorter JA. Cystatin C, a cysteine protease inhibitor, is persistently up-regulated in neurons and glia in a rat model for mesial temporal lobe epilepsy. *Eur J Neurosci* 2001; Nov;14(9):1485-91.
- Bai J, Cederbaum AI. Mitochondrial catalase and oxidative injury. *Biol Signals Recept* 2001; May-Aug; 10(3-4):189-99.
- Bakay M, Chen YW, Borup R, Zhao P, Nagaraju K, Hoffman EP. Sources of variability and effect of experimental approach on expression profiling data interpretation. *BMC Bioinformatics* 2002; 3(1):4.
- Bar-Meir M, Elpeleg N, Saada A. Effect of various agents on adenosine triphosphate synthesis in mitochondrial complex I deficiency. *J Pediatr* 2001; 139: 868-870.
- Benit P, Chretien D, Kadhon N et al. A Large-scale deletion and point mutations of the nuclear NDUFV1 and NDUFS1 genes in mitochondrial complex I deficiency. *Am J Human Genet* 2001; 68:1344-1352.
- Benit P, Beugnot R, Chretien D et al. Mutant NDUFV2 subunit of mitochondrial complex I causes early onset hypertrophic cardiomyopathy and encephalopathy. *Hum Mutat* 2003; 21:582-6.
- Bidooki SK, Johnson MA, Chrzanowska-Lightowlers Z, Bindoff LA, Lightowlers RN, Intracellular mitochondrial triplasmcy in a patient with two heteroplasmic base changes. *Am J Hum Genet* 1997; 60(6): 1430-8.
- Biousse V, Newman NJ. Neuro-ophthalmology of mitochondrial disease. *Semin Neurol* 2001; 21:275–292.



- Bresolin N, Moggio M, Bet L et al. Progressive cytochrome c oxidase deficiency in a case of Kearns-Sayre syndrome: morphological, immunological, and biochemical studies in muscle biopsies and autopsy tissues. *Ann Neurol* 1987; Jun;21(6):564-72.
- Brockmann K, Bjornstad A, Dechent P et al. Succinate in dystrophic white matter: a proton magnetic resonance spectroscopy finding characteristic for complex II deficiency. *Ann Neurol* 2002; 52: 38-46.
- Bruno C, Kirby DM, Koga Y et al. The mitochondrial DNA C3303T mutation can cause cardiomyopathy and/or skeletal myopathy. *J Pediatr* 1999; 135(2 Pt 1):197-202.
- Camasamudram V, Fang JK, Avadhani NG. Transcription termination at the mouse mitochondrial H-strand promoter distal site requires an A/T rich sequence motif and sequence specific DNA binding proteins. *Eur J Biochem* 2003; Mar 270(6):1128-40.
- Carelli V, Sadun AA. Optic neuropathy in Lhon an Leigh Syndrome. *Ophthalmology* 2001; 108:1172-1173.
- Carelli V, Baracca A, Barogi S et al. Biochemical-clinical correlation in patients with different loads of the mitochondrial DNA T8993G mutation. *Arch Neurol*. 2002; 59: 264-70.
- Chavis P, Fagni L, Lansman JB, Bockaert J. Functional coupling between ryanodine receptors and L-type calcium channels in neurons. *Nature* 1996; Aug 22;382(6593):719-22.
- Chinnery PF, Turnbull DM. Mitochondrial DNA mutations in the pathogenesis of human disease. *Mol Med Today* 2000; Nov;6(11):425-32.
- Chol M, Lebon S, Benit P et al. The mitochondrial DNA G13513A MELAS mutation in the NADH dehydrogenase 5 gene is a frequent cause of Leigh-like syndrome with isolated complex I deficiency. *J Med Genet* 2003; 40: 188-91.
- Chomyn A, Enriquez JA, Micol V, Fernandez-Silva P, Attardi G. The mitochondrial myopathy, encephalopathy, lactic acidosis, and stroke-like episode syndrome-associated human mitochondrial tRNA^{Leu}(UUR) mutation causes aminoacylation deficiency and concomitant reduced association of mRNA with ribosomes. *J Biol Chem* 2000; Jun 23;275(25):19198-209.



- Colleluori DM, Morris SM Jr, Ash DE. Expression, purification, and characterization of human type II arginase. *Arch Biochem Biophys* 2001; May 1; 389(1):135-43.
- Comi GP, Bordoni A, Salani S et al. Cytochrome c oxidase subunit I microdeletion in a patient with motor neuron disease. *Ann Neurol* 1998; Jan; 43(1):110-6.
- De Benedictis G, Carrieri G, Varcasia O, Bonafe M, Francesci C. Inherited variability of the mitochondrial genome and successful aging in humans. *Ann NY Acad Sci* 2000; 908:208– 218, Review.
- Dianzani MU. *Istituzioni di Patologia generale*. 1995.
- Dillon EL, Knabe DA, Wu G. Lactate inhibits citrulline and arginine synthesis from proline in pig enterocytes. *Am J Physiol* 1999; May; 276(5 Pt 1):G1079-86.
- DiMauro S, Andreu AL, Musumeci O, Bonilla E. Diseases of oxidative phosphorylation due to mtDNA mutations. *Semin Neurol* 2001; 21:251–260 (a).
- DiMauro S, Schon EA. Mitochondrial DNA mutation in Human disease. *Am J Med Genet* 2001; 106:18-26 (b).
- Dubowitz V. *Muscle biopsy: a practical approach*. 2nd ed. London: Bailliere Tindall, 1985.
- Eisen MB, Spellman PT, Brown PO, Botstein D. Cluster analysis and display of genome-wide expression patterns. *Proc Natl Acad Sci U S A* 1998; 95(25):14863-8.
- El Meziane A, Lehtinen SK, Hance N, Nijtmans LG, Dunbar D, Holt IJ, Jacobs HT. A tRNA suppressor mutation in human mitochondria. *Nat Genet* 1998; 18:350-3.
- Emilsson L, Saetre P, Balciuniene J, Castensson A, Cairns N, Jazin EE. Increased monoamine oxidase messenger RNA expression levels in frontal cortex of Alzheimer's disease patients. *Neurosci Lett* 2002; Jun 21; 326(1):56-60.
- Filiano JJ, Goldenthal MJ, Mamourian AC, Hall CC, Marin-Garcia J. Mitochondrial DNA depletion in Leigh syndrome. *Pediatr Neurol* 2002; 26:239-42.
- Fischel-Ghodsian N. Mitochondrial deafness mutations reviewed. *Hum Mutat* 1999; 13:261–270.



- Goldstein JD, Shanske S, Bruno C, Perszyk AA. Maternally inherited mitochondrial cardiomyopathy associated with a C- T transition at nucleotide 3303 of mitochondrial DNA in the tRNA(Leu (UUR)) gene. *Pediatr Dev Pathol* 1999; 2(1):78-85. Review.
- Gommans IM, Vlak MH, de Haan A, van Engelen BG. Calcium regulation and muscle disease. *J Muscle Res Cell Motil* 2002; 23(1):59-63.
- Graf WD, Marin-Garcia J, Gao HG et al. Autism associated with the mitochondrial DNA G8363A transfer RNA(Lys) mutation. *J Child Neurol* 2000; 15(6):357-61.
- Grasso M, Diegoli M, Brega A, Campana C, Tavazzi L, Arbustini E. The mitochondrial DNA mutation T12297C affects a highly conserved nucleotide of tRNA(Leu(CUN)) and is associated with dilated cardiomyopathy. *Eur J Hum Genet* 2001; 9:311–315.
- Grody WW, Argyle C, Kern RM et al. Differential expression of the two human arginase genes in hyperargininemia. Enzymatic, pathologic, and molecular analysis. *J Clin Invest* 1989; Feb;83(2):602-9.
- Hammans SR, Sweeney MG, Hanna MG et al. The mitochondrial DNA transfer RNA^{Leu(UUR)} A-G(3243) mutation. A clinical and genetic study. *Brain* 1995; 115:72.:721–734.
- Howell N, Kubacka I, Smith R, Frerman F, Parks JK, Parker WD Jr. Association of the mitochondrial 8344 MERRF mutation with maternally inherited spinocerebellar degeneration and Leigh disease. *Neurology* 1996; 46: 219-22.
- Ionasescu VV, Hart M, DiMauro S, Moraes CT. Clinical and morphologic features of a myopathy associated with a point mutation in the mitochondrial tRNA^{Pro} gene. *Neurology* 1994; 44(5):975-7.
- Jacobs HT, Holt IJ. The np 3243 MELAS mutation: damned if you aminoacylate, damned if you don't. *Hum Mol Genet* 2000; Mar 1;9:463-5.
- Jaksch M, Klopstock T, Kurlemann G et al. Progressive myoclonus epilepsy and mitochondrial myopathy associated with mutations in the tRNA(Ser(UCN)) gene. *Annals of Neurology* 1998; 44(4):635-40.
- Karadimas CL, Salviati L, Sacconi S et al. Mitochondrial myopathy andophthalmoplegia in a sporadic patient with the G12315A mutation in mitochondrial DNA. *Neuromuscul Disord* 2002; 12(9):865-8.



- Kaufmann P, Koga Y, Shanske S, Hirano M, DiMauro S, King MP, Schon EA. Mitochondrial DNA and RNA processing in MELAS. *Ann Neurol* 1996. 40: 172-80.
- Kauppinen RA, Alhonen LI. Transgenic animals as models in the study of the neurobiological role of polyamines. *Prog Neurobiol* 1995; Dec; 47(6):545-63.
- Khogali SS, Mayosi BM, Beattie JM, McKenna WJ, Watkins H, Poulton J. A common mitochondrial DNA variant associated with susceptibility to dilated cardiomyopathy in two different populations. *Lancet* 2001; 357:1265-12.
- Koga Y, Nonaka I, Sunohara N, Yamanaka R, Kumagai K. Variability in the activity in of respiratory chain enzymes in mitochondrial myopathy. *Acta Neuropathol* 1988; 76: 135–141.
- Leigh D. Subacute necrotizing encephalopathy in an infant. *J Neurol Neurosurg Psychiatry* 1951; 14: 216–221.
- Leonard JV, Schapira AH. Mitochondrial respiratory chain disorders I: mitochondrial DNA defects. *Lancet* 2000; Jan 22; 355(9200):299-304.
- Li R, Li X, Yan Q, Qin Mo J, Guan MX. Identification and characterization of mouse MTO1 gene related to mitochondrial tRNA modification. *Biochim Biophys Acta* 2003; Oct 1; 1629(1-3):53-9.
- Lightowlers RN, Chinnery PF, Turnbull DM, Howell N. Mammalian mitochondrial genetics: heredity, heteroplasmy and disease. *Trends Genet* 1997; Nov; 13(11):450-5.
- Lindholm T, Cullheim S, Deckner M, Carlstedt T, Risling M. Expression of neuregulin and ErbB3 and ErbB4 after a traumatic lesion in the ventral funiculus of the spinal cord and in the intact primary olfactory system. *Exp Brain Res* 2002; Jan; 142(1):81-90.
- Liu G, Loraine AE, Shigeta R et al. NetAffx: Affymetrix probesets and annotations. *Nucleic Acids Res.* 2003; 31(1):82-6.
- Liu P, Smith PF, Appleton I, Darlington CL, Bilkey DK. Regional variations and age-related changes in nitric oxide synthase and arginase in the sub-regions of the hippocampus. *Neuroscience* 2003; 119(3):679-87.
- Loeffen J, Smeitink J, Triepels R et al. The first nuclear-encoded complex I mutation in a patient with Leigh syndrome. *Am J Hum Genet* 1998; 63: 1598-1608.



- Loeffen JL, Smeitink JA, Trijbels JM et al. Isolated complex I deficiency in children: clinical, biochemical and genetic aspects. *Hum Mutat* 2000; 15: 123–134.
- Lohr K, Moritz C, Contente A, Dobbstein M. p21/CDKN1A mediates negative regulation of transcription by p53. *J Biol Chem* 2003; Aug 29;278(35):32507-16. Epub 2003 May 13.
- Louis CA, Reichner JS, Henry WL Jr, Mastrofrancesco B, Gotoh T, Mori M, Albina JE. Distinct arginase isoforms expressed in primary and transformed macrophages: regulation by oxygen tension. *Am J Physiol* 1998; Mar;274(3 Pt 2):R775-82.
- Macaulay V, Richards M, Hickey E et al. The emerging tree of west Eurasian mtDNAs: a synthesis of control-region sequences and RFLPs. *Am J Hum Genet* 1999; 64: 232– 249.
- Mansergh FC, Millington-Ward S, Kennan A. et al. Retinitis pigmentosa and progressive sensorineural hearing loss caused by a C12258A mutation in the mitochondrial *MTTS2* gene. *Am J Hum Genet* 1999; 64(4):971-85.
- McDonald DG, McMenamin JB, Farrell MA, Droogan O, Green AJ. Familial childhood onset neuropathy and cirrhosis with the 4977bp mitochondrial DNA deletion. *Am J Med Genet* 2002; Aug 1;111(2):191-4.
- McFarland R, Clark KM, Morris AA, Taylor RW, Macphail S, Lightowlers RN, Turnbull DM. Multiple neonatal deaths due to a homoplasmic mitochondrial DNA mutation. *Nat Genet* 2002; 30:145-6 (a).
- McFarland R, Taylor RW, Turnbull DM. The neurology of mitochondrial DNA disease. *Lancet Neurol* 2002; Oct;1(6):343-51 (b).
- Montagna P, Gallassi R, Medori R et al. MELAS syndrome: characteristic migrainous and epileptic features and maternal transmission. *Neurology* 1988; 38:751-754.
- Moraes CT, Ciacci F, Silvestri G, et al. Atypical presentation associated with the MELAS mutation at position 3243 of human mitochondrial DNA. *Neuromusc Disord* 1993; 3:43–50.
- Moraes CT, Schon EA. Detection and analysis of mitochondrial DNA and RNA in muscle by in situ hybridization and single-fiber PCR. *Methods Enzymol* 1996; 264:522–540.



- Moraes CT, Kenyon L, Hao H. Mechanisms of human mitochondrial DNA maintenance: the determining role of primary sequence and length over function. *Mol Biol Cell* 1999; Oct;10(10):3345-56.
- Morris SM Jr, Bhamidipati D, Kepka-Lenhart D. Human type II arginase: sequence analysis and tissue-specific expression. *Gene* 1997; Jul 9;193(2):157-61.
- Moudy AM, Handran SD, Goldberg MP et al. Abnormal calcium homeostasis and mitochondrial polarization in a human encephalomyopathy. *Proc Natl Acad Sci U S A* 1995; Jan 31;92(3):729-33.
- Nishigaki Y, Bonilla E, Shanske S, Gaskin DA, DiMauro S, Hirano M. Exercise-induced muscle "burning," fatigue, and hyper-CKemia: mtDNA T10010C mutation in tRNA(Gly). *Neurology* 2000; 58(8):1282-5.
- Ozawa M, Nishino I, Horai S, Nonaka I, Goto YI. Myoclonus epilepsy associated with ragged-red fibers: a G-to-A mutation at nucleotide pair 8363 in mitochondrial tRNA(Lys) in two families. *Muscle & Nerve* 1997; 20(3):271-8.
- Pacher P, Thomas AP, Hajnoczky G. Ca²⁺ marks: miniature calcium signals in single mitochondria driven by ryanodine receptors. *Proc Natl Acad Sci U S A* 2002; Feb 19;99(4):2380-5.
- Papadimitriou A, Comi GP, Hadjigeorgiou GM et al. Partial depletion and multiple deletions of muscle mtDNA in familial MNGIE syndrome. *Neurology* 1998; 51:1086–1092.
- Park H, Davidson E, King MP. The pathogenic A3243G mutation in human mitochondrial tRNA^{Leu}(UUR) decreases the efficiency of aminoacylation. *Biochemistry* 2003; Feb 4;42(4):958-64.
- Pulkes T, Eunson L, Patterson V et al. The mitochondrial DNA G13513A transition in ND5 is associated with a LHON/MELAS overlap syndrome and may be a frequent cause of MELAS. *Ann Neurol* 1999; 46:916-9.
- Pulkes T, Sweeney MG, Hanna MG. Increased risk of stroke in patients with the A12308G polymorphism in mitochondria. *The Lancet* 2001; 356:2068-2069.
- Rao VL, Giguere JF, Layrargues GP, Butterworth RF. Increased activities of MAOA and MAOB in autopsied brain tissue from cirrhotic patients with hepatic encephalopathy. *Brain Res* 1993; Sep 10;621(2):349-52.



- Rao VL, Qureshi IA, Butterworth RF. Activities of monoamine oxidase-A and -B are altered in the brains of congenitally hyperammonemic sparse-fur (spf) mice. *Neurosci Lett* 1994; Mar 28;170(1):27-30.
- Raychaudhury S, Stuart JM, Altman RB. Principal component analysis to summarize Microarrays experiments: application to sporulation time series. *Pac Symp Biocomput* 2002; 455-466.
- Ring RH, Valo Z, Gao C, Barish ME, Singer-Sam. The Cdkn1a gene (p21(Waf1/Cip1)) is an inflammatory response gene in the mouse central nervous system. *J. Neurosci Lett* 2003; Oct 23;350(2):73-6.
- Rose G, Passarino G, Carrieri G et al. Paradoxes in longevity: sequence analysis of mtDNA haplogroup J in centenarians. *Eur J Hum Genet* 2001; 9: 701– 707.
- Rouillac C, Aral B, Fouque F et al. First prenatal diagnosis of defects in the HsPDX1 gene encoding protein X, an additional lipoyl-containing subunit of the human pyruvate dehydrogenase complex. *Prenat Diagn* 1999; 19: 1160-4.
- Sacconi S, Salviati L, Gooch C, Bonilla E, Shanske S, DiMauro S. Complex neurologic syndrome associated with the G1606A mutation of mitochondrial DNA. *Arch Neurol* 2002; 59(6):1013-5.
- Sacconi S, Salviati L, Sue CM et al. Mutation screening in patients with isolated cytochrome c oxidase deficiency. *Pediatr Res* 2003; 53: 224-30.
- Santorelli FM, Siciliano G, Casali C et al. Mitochondrial tRNA(Cys) gene mutation (A5814G): a second family with mitochondrial encephalopathy. *Neuromuscul Disord* 1997. 7(3):156-9.
- Sazanov LA, Walker JE. Cryo-electron crystallography of two sub-complexes of bovine Complex I reveals the relationship between the membrane and peripheral arms. *J Mol Biol* 2000; 302:455-464.
- Schapira AH. The "new" mitochondrial disorders. *J Neurol Neurosurg Psychiatry* 2002; Feb; 72(2):144-9.
- Scheffler IE. "Mitochondria". 1999, Wiley-Liss, New York.
- Servidei S. Mitochondrial encephalomyopathies: gene mutation. *Neuromuscul Disord* 2002; 12:524–529.



- Sowards R, Wiseman B, Jacobs HT. Apparent functional independence of the mitochondrial and nuclear transcription systems in cultured human cells. *Mol Gen Genet* 1994; Dec 15;245(6):760-8.
- Shin WS, Tanaka M, Suzuki J, Hemmi C, Toyo-oka T. A novel homoplasmic mutation in mtDNA with a single evolutionary origin as a risk factor for cardiomyopathy. *Am J Hum Genet* 2000; 67:1617-20.
- Shoubridge EA. Nuclear genetic defects of oxidative phosphorylation. *Hum Mol Genet* 2001. 10: 2277–2284.
- Siciliano G, Mancuso M, Pasquali L, Manca ML, Tessa A, Iudice A. Abnormal levels of human mitochondrial transcription factor A in skeletal muscle in mitochondrial encephalomyopathies. *Neurol Sci* 2000; 21(5 Suppl):S985-7.
- Sternberg D, Danan C, Lombes A et al. Exhaustive scanning approach to screen all the mitochondrial tRNA genes for mutations and its application to the investigation of 35 independent patients with mitochondrial disorders. *Hum Mol Genet* 1998; 7:33– 42.
- Sturn A, Quackenbush J, Trajanoski Z. Genesis: cluster analysis of Microarrays data. *Bioinformatics* 2002; 18(1):207-8.
- Sue CM, Bruno C, Andreu AL et al. Infantile encephalopathy associated with the MELAS A3243G mutation. *J Pediatr* 1999; 134: 696–700.
- Suomalainen A, Kaukonen J. Diseases caused by nuclear genes affecting mtDNA stability. *Am J Med Genet* 2001; Spring;106(1):53-61. Review.
- Sweeney MG, Brockington M, Weston MJ, Morgan-Hughes JA, Harding AE. Mitochondrial DNA transfer RNA mutation Leu(UUR)A-->G 3260: a second family with myopathy and cardiomyopathy. *Q J Med* 1993; 86(7):435-8.
- Tanji K, Bonilla E. Neuropathologic aspects of cytochrome C oxidase deficiency. *Brain Pathos* 2000; 10(3):422-30. Review.
- Tatuch Y, Christodoulou J, Feigenbaum A, et al. Heteroplasmic mtDNA mutation (T-G) at 8993 can cause Leigh disease when the percentage of abnormal mtDNA is high. *Am J Hum Genet* 1992; 50:852–858.
- Taylor RW, Chinnery, PF, Bates MJ et al. A novel mitochondrial DNA point mutation in the tRNA (Ile) gene: studies in a patient presenting with chronic progressive external ophthalmoplegia and multiple sclerosis. *Biochemical & Biophysical Research Communications* 1998; 243:47-51.
- Thorburn DR, Dahl HH. Mitochondrial disorders: genetics, counseling, prenatal diagnosis and reproductive options. *Am J Med Genet* 2001;



Spring;106(1):102-14. Review.

- Thorne GD, Paul RJ. Effects of organ culture on arterial gene expression and hypoxic relaxation: role of the ryanodine receptor. *Am J Physiol Cell Physiol* 2003; Apr;284(4):C999-C1005.
- Tiranti V, Carrara F, Confalonieri P et al. A novel mutation (8342G->A) in the mitochondrial tRNA(Lys) gene associated with progressive external ophthalmoplegia and myoclonus. *Neuromuscul Disord* 1999; 9:66-71.
- Torroni A, Campos Y, Rengo C et al. Mitochondrial DNA haplogroups do not play a role in the variable phenotypic presentation of the A3243G mutation. *Am J Hum Genet* 2003; Apr;72(4):1005-12.
- Triepels RH, Van Den Heuvel LP, Trijbels JM, Smeitink JA. Respiratory chain complex I deficiency. *Am J Med Genet* 2001; 106:37-45.
- Tulinius M, Moslemi AR, Darin N. Leigh Syndrome with Cytochrome-c Oxidase Deficiency and a Single T Insertion nt 5537 in the Mitochondrial tRNATrp Gene. *Neuropediatrics* 2003; 34(2):87-91.
- Uziel G, Carrara F, Granata T, Lamantea E, Mora M, Zeviani M. Neuromuscular syndrome associated with the 3291T->C mutation of mitochondrial DNA: a second case. *Neuromuscul Disord* 2000; 10(6):415-8.
- Valanne L, Ketonen L, Majander A et al. Neuroradiologic findings in children with mitochondrial disorders. *Am J Neuroradiol* 1998; 19:369-177.
- Van Erven PM, Ruitenbeek W, Gabreels FJ, Renier WO, Fischer JO, Janssen AJ. Disturbed oxidative metabolism in subacute necrotizing encephalomyelopathy (Leigh syndrome). *Neuropediatrics*. 1986; 17:28-32.
- Van Maldergem L, Trijbels F, DiMauro S et al. Coenzyme Q-responsive Leigh's encephalopathy in two sisters. *Ann Neurol* 2002; 52: 750-4.
- Videira A. Complex I from the fungus *Neurospora crassa*. *Biochimica et Biophysica Acta*. 1998; 1364:89-100.
- Wallace DC, Brown MD, Lott MT. Mitochondrial DNA variation in human evolution and disease. *Gene* 1999; 238:211- 230. Review (a).
- Wallace DC. Mitochondrial DNA sequence variation in human evolution and disease. 1994. *Proc Natl Acad Sci USA* 13; 91:8739-46. Review.
- Wallace DC. Mitochondrial diseases in man and mouse. *Science*. 1999 Mar 5;283(5407):1482-8 (b).
- Wallace DC and Lott MT. "MITOMAP: A Human Mitochondrial Genome Database" <http://www.mitomap.org>, 2003



- Wang ZC, Wang XM, Jin YX et al. Search for difference in aminoacylation of mitochondrial DNA-encoded wild-type and mutant human tRNA^{Leu} (UUR). *IUBMB Life* 2003; Mar;55(3):139-44.
- Yu H, Iyer RK, Kern RM, Rodriguez WI, Grody WW, Cederbaum SD. Expression of arginase isozymes in mouse brain. *J Neurosci Res* 2001; Nov 1;66(3):406-22.
- Zeviani M, Moraes CT, DiMauro S et al. Deletions of mitochondrial DNA in Kearns-Sayre syndrome. *Neurology* 1998; 51:1525–1532.
- Zeviani M, Bresolin N, Gellera C et al. Nucleus-driven multiple large-scale deletions of the human mitochondrial genome: a new autosomal dominant disease. *Am J Hum Genet* 1990. 47(6):904-14.
- Zimmermann N, King NE, Laporte J et al. Dissection of experimental asthma with DNA Microarrays analysis identifies arginase in asthma pathogenesis. *J Clin Invest* 2003; Jun;111(12):1863-74.

